

**PATENT****Application # 10/664,754****Attorney Docket # 2002P15652US01 (1009-039)****AMENDMENTS****AMENDMENTS TO THE CLAIMS**

1. (Previously presented) A method for representing HMI user screens comprising the activities of:
  - via an information device:
    - obtaining an organization and a hierarchy of a collection comprising a plurality of human machine interface (HMI) screen nodes, each of the plurality of HMI screen nodes a visual representation of a corresponding visual display of a human machine interface adapted to interpret communications from a human operator of an industrial plant to an automated machine controller;
    - automatically determining an arrangement of the collection;
    - responsive to a detected collision between a parent node of said hierarchy of said collection and a leaf node of the parent node, automatically adjusting a position of said parent node; and
    - rendering the collection according to the arrangement.
2. (Previously presented) The method of claim 1, further comprising calculating a position of the leaf node.
3. (Original) The method of claim 1, further comprising calculating a position of a visible leaf.
4. (Currently Amended) The method of claim 1, further comprising calculating the position of the parent node.
5. (Previously presented) The method of claim 1, further comprising detecting the collision.

**PATENT****Application # 10/664,754**

Attorney Docket # 2002P15652US01 (1009-039)

6. (Currently Amended) The method of claim 1, further comprising updating the position of the parent node.

7. (Currently Amended) The method of claim 1, further comprising updating the position of the parent node upon detecting the collision.

8. (Original) The method of claim 1, further comprising recursively calculating a position of each of the plurality of HMI screen nodes.

9. (Currently Amended) The method of claim 1, further comprising recursively calculating a position of each of the plurality of HMI screen nodes and updating the position of the parent node upon detecting the collision.

10. (Previously Presented) The method of claim 1, further comprising changing a visibility of a node.

11. (Currently Amended) The method of claim 1, further comprising changing a visibility of a node and children of the parent node.

12. (Original) The method of claim 1, wherein the arrangement is a tree arrangement.

13. (Original) The method of claim 1, wherein the arrangement is a vertical tree arrangement.

14. (Original) The method of claim 1, wherein the arrangement is a horizontal tree arrangement.

15. (Original) The method of claim 1, wherein the arrangement is rendered with equal inter-generational node spacing.

**PATENT****Application # 10/664,754****Attorney Docket # 2002P15652US01 (1009-039)**

16. (Original) The method of claim 1, wherein the arrangement is rendered with equal intra-generational node spacing.

17. (Currently Amended) The method of claim 1, wherein the arrangement is rendered with each parent node is aligned centrally to all children of that parent.

18. (Original) The method of claim 1, wherein the arrangement is rendered with all nuclear children separated equally.

19. (Previously presented) A machine-readable medium containing instructions for activities comprising:

- obtaining an organization and a hierarchy of a collection comprising a plurality of human machine interface (HMI) screen nodes, each of the plurality of HMI screen nodes a visual representation of a corresponding visual display of a human machine interface adapted to interpret communications from a human operator of an industrial plant to an automated machine controller;

- determining an arrangement of the collection;

- responsive to a detected collision between a parent node of said hierarchy of said collection and a leaf node of the parent node, automatically adjusting a position of said parent node; and

- rendering the collection according to the arrangement.

20. (Previously presented) A device for providing a representation of user screens for an HMI comprising:

- means for obtaining an organization and a hierarchy of a collection comprising a plurality of human machine interface (HMI) screen nodes, each of the plurality of HMI screen nodes a visual representation of a corresponding visual display of a human machine interface adapted to interpret communications from a human operator of an industrial plant to an automated machine controller;

- means for determining an arrangement of the collection;

**PATENT**

**Application # 10/664,754**

**Attorney Docket # 2002P15652US01 (1009-039)**

a processor adapted to, responsive to a detected collision between a parent node of said hierarchy of said collection and a leaf node of the parent node, automatically adjust a position of said parent node; and  
means for rendering the collection according to the arrangement.